



# UTD IMPACT

September 2020

UTD develops and advances economical new products, systems and technologies to save energy, save customers money, integrate renewable energy and renewable natural gas, and help customers maintain safe, reliable, resilient operation with superior environmental performance.

UTD recognizes the economic hardships amplified by COVID-19, and is developing and demonstrating affordable new energy-efficient solutions for all ratepayers as illustrated in the following pages. As a 501(c)(6) non-profit collaboration of forward-thinking utilities, UTD thanks the leading researchers, universities, governmental agencies, manufacturers and others that partner with UTD to make these and other exciting impacts!

Please contact us if you have any questions about UTD.

**Ron Snedic** (1.847.768.0572)

**Rich Kooy** (1.847.768.0512)



UTD's 20 member companies serve more than 37 million natural gas customer accounts in North America.

UTD helps utilities create exciting new products for their customers and maximize the impact of their energy-efficiency programs.

Together we're shaping the energy future with clean, efficient end-use technologies.

Visit [www.utd-co.org](http://www.utd-co.org) for more information.

## COMMERCIALIZED PRODUCTS



### M-Trigen PowerAire

M-Trigen's PowerAire™ provides high-efficiency microCHP with integrated cooling to homeowners, small businesses, and other users. UTD is providing technical support for a notable demonstration by partnering with NYSERDA, National Grid, NJNG, and PERC to independently validate performance. UTD is also supporting M-Trigen in its optimization of PowerAire to minimize emissions, and its development of PowerFurnace™.

### M-Trigen

Kevin Robert  
713-574-4506 x1018  
kevinr@mtrigen.com  
www.mtrigen.com



### Sierra™ Engine-driven Gas Heat Pump

Sierra's (formerly NextAire™) 11-ton packaged GHP can efficiently heat and cool commercial buildings (up to 1.4 COP) while reducing electric demand. Also available are 8- and 15-ton GHPs with VRF multizone capabilities. UTD's field studies are supporting best practices for siting. UTD is partnering with NYSERDA and National Fuel in a 2020 field test in NY state.

### Blue Mountain Energy

Tom Young  
702-339-7395  
tyoung@bluemountainenergy.com  
www.bluemountainenergy.com

## COMMERCIALIZED PRODUCTS (continued)



### Yanmar 3-Pipe Engine-driven Gas Pump

Yanmar's 3-pipe, 14-ton Gas Heat Pump (GHP) with variable refrigerant flow (VRF) offers an important new energy-efficiency option for the North American market by combining heat recovery with simultaneous heating and cooling. In a 2018-20 field test, UTD is validating the quantitative and qualitative performance of an instrumented installation.

#### YANMAR America Corp.

Mike Mehrvarz  
770-877-7709  
mike\_mehrvarz@yanmar-es.com  
www.yanmar-es.com



### Dedicated Outside Air System/Rooftop Unit

Condensing heating versions of Munters Dedicated Outside Air System (DOAS) and other rooftop unit (RTU) products increase heating efficiency from 80%-81% to 90%-93%. Multiple RTU manufacturers are now offering DOAS with 90+% efficiencies, facilitated by the availability of condensing duct furnace modules first developed with UTD support.

#### Munters Corporation

Larry Klekar  
210-249-3883  
larry.klekar@munters.com  
www.munters.com




### Heat Sponge Economizer for Industrial/Commercial Boilers

In either condensing or non-condensing configurations, this heat recovery system for commercial and industrial boilers (over 140,000-unit market in U.S.) increases boiler efficiency from 80% to a range of 85%-93% (validated by UTD lab testing). It also saves customers 5%-15% in annual energy costs. UTD completed a field test in Utah to validate energy savings.

#### Boilerroom Equipment, Inc.

866-666-8977  
www.heatsponge.com



### Condensing Duct Furnace Modules

High-efficiency condensing heating modules developed with UTD support are now available from Beckett Gas and other OEMs, including Heatco, and are being applied to DOAS and other products including Make-Up Air Units available from multiple manufacturers including Aaon, Daikin, and RuppAir.

#### Beckett Gas, Inc.

Joel Mohar  
440-783-7610  
jmohar@beckettcorp.com  
www.beckettgas.com



### Cannon Boiler Works Ultramizer®

The Ultramizer is an advanced heat-and-water recovery system for larger commercial and industrial boilers, of which there are more than 140,000 in the U.S. It increases boiler efficiency from 80% to 93%—saving customers 15% in energy while also reducing water demand.

#### Cannon Boiler Works, Inc.

Chris Giron  
724-335-8541 x414  
sales@cannonboilerworks.com  
www.cannonboilerworks.com




### S.U.N. Equinox Solar-Assisted Heating System

The Equinox system is a combination solar/natural gas water heating system that uses an efficient evacuated tube design. It can be used in residential, commercial, or industrial locations and is capable of meeting 100% of domestic hot-water and space heating needs. UTD validated its energy performance in a field demonstration.

#### Solar Usage Now, LLC

Thom Blake  
260-657-5605  
tblade@solarusagenow.com  
www.solarusagenow.com

## COMMERCIALIZED PRODUCTS (continued)



### ENERGY STAR® Fryers

Royal Range introduced the high-efficiency RHEF-75 fryer in 2019—building on the success of the smaller-capacity, high-efficiency RHEF-45 fryer that received the National Restaurant Association’s Kitchen Innovation Award and GFEN’s Blue Flame Product of the Year Award. Independent testing showed 63% heavy-load cooking energy efficiency.

#### Royal Range of California

Robert Lutz  
951-360-1600  
robert@royalranges.com  
www.royalranges.com



### Low-Oil-Volume Fryers

Marketed by Frymaster as Protector® fryers, this equipment increases energy efficiency while also extending cooking-oil quality and life to provide significant customer savings. Field demonstrations completed by UTD have shown an average savings of \$4,800 per year per fryer.

#### Frymaster

Linda Brugler  
318-866-2488  
lbrugler@frymaster.com  
www.frymaster.com



### ENERGY STAR Conveyor Oven

ENERGY STAR rated conveyor ovens from Lincoln include an advanced energy-management system to reduce energy consumption up to 38%.

#### Lincoln, a division of Manitowoc Foodservice

260-459-8200  
www.lincolnfp.com



### ENERGY STAR Convection Oven

This unit showed improved efficiency and 40% energy savings compared to a standard oven during field testing and achieved an ENERGY STAR rating.

#### Garland

905-624-0260  
www.garland-group.com



### High-Efficiency Broiler

This broiler features infrared burners and an energy-saving hood that showed an average of 23% energy savings during field testing. It offers more efficient cooking as well as reducing heat gain to the kitchen.

#### Royal Range of California

800-769-2414  
www.royalranges.com



### ENERGY STAR Countertop Steamer

A compact, gas-fired countertop steamer for commercial foodservice offers enhanced cooking rates while providing energy savings and reduced water consumption. It was the first gas-fired boilerless steamer on the market and received an ENERGY STAR rating.

#### Market Forge Industries Inc.

617-387-4100  
866-698-3188  
custserv@mfi.com  
www.mfi.com



### Gas Quality Sensor

The Gas Quality Sensor (GQS) uses solid-state infrared light absorption spectroscopy to measure Btu content and composition of natural gas and bio-methane fuels. It provides faster response at much lower cost than a gas chromatograph. It was developed with UTD support and was commercially introduced by CMR Group in 2019.

#### CMR Group

Jon Stendebach  
724-452-2200  
918-407-4005  
jon.stendebach@cmr-group.com  
www.cmr-group.com

## COMMERCIALIZED PRODUCTS (continued)



### Cummins Westport 6.7L Medium-Duty NGV Engine

This 6.7L 240-HP natural gas vehicle (NGV) engine is used in school buses, shuttle buses, medium-duty trucks, and other vocational uses. It went into full commercial production in December 2016. It meets U.S. 2017 EPA GHG requirements and CARB's optional more stringent low NO<sub>x</sub> standard of 0.1 g/bhp-hr.

#### Cummins Westport Inc.

Yemane Gessesse  
812-377-5000  
yemane.gessesse@cummins.com  
www.cumminswestport.com

**B6.7N**



### Cummins Westport 8.9L Near-Zero Emission NGV Engine

This 8.9L 320-HP NGV engine is widely used, with 50,000+ engines sold for transit, refuse-collection, and regional hauling applications since 2007. In 2016, it was advanced to become the first engine certified in North America to meet the 0.02 g/bhp-hr optional Near Zero (NZ) NO<sub>x</sub> emissions standard (i.e. 90% lower than the current EPA NO<sub>x</sub> limit of 0.2 g/bhp-hr).

#### Cummins Westport Inc.

Yemane Gessesse  
812-377-5000  
yemane.gessesse@cummins.com  
www.cumminswestport.com

**L9N**



### Cummins Westport 11.9L Near-Zero Emission NGV Engine

This 11.9L 400-HP NGV engine is used in large trucks, buses, and refuse vehicles. Engine sales since 2013 are approaching 10,000 units and 25,000+ engines will likely be sold in N.A. by 2020, yielding emissions reductions and \$600+ million in annual fuel sales. In Model Year 18, it became CWI's second engine certified to meet NZ NO<sub>x</sub> emissions standard of 0.02 g/bhp-hr.

#### Cummins Westport Inc.

Yemane Gessesse  
812-377-5000  
yemane.gessesse@cummins.com  
www.cumminswestport.com

**ISX12N**



### HyperComp/3M NGV Cylinders

These lightweight Type IV NGV cylinders are manufactured using advanced 3M nanoparticle-enhanced matrix resin technology for high strength and durability. Three tank sizes of 30, 40, and 45 diesel gallon equivalent (DGE) are now offered in nine unique CNG Fuel System Solutions from Momentum Fuel Technologies, including roof mount, saddle mount, and back-of-cab designs.

#### Momentum Fuel Technologies

844-264-8265  
www.momentumfueltechnologies.com



### Ultimate CNG FuelMule™

The patented FuelMule™ mobile fueling solution dispenses eight diesel gallon equivalent per minute and fuels 35-50 medium-duty vehicles per delivery. It is used as a temporary starter station, station back-up, or for mobile onsite fueling. It logged 250,000+ miles and almost 6,000 compressor hours delivering natural gas fuel to vehicles across the U.S. in its first five years of operation.

#### Ultimate CNG, LLC

Dennis Pick  
703-209-4086  
dpick@ultimatecng.com  
www.ultimatecng.com



### External Concentration Parabolic Collector

This patented, non-tracking, extremely-low-profile concentrator can achieve 200°C (392°F) solar thermal energy to economically serve commercial and industrial facilities and reduce GHG emissions. It can also be integrated with natural gas as a supplemental energy source. UTD provided technical and product development support and experimental validations over a seven-year period.

#### Artic Solar Inc.

Bill Guiney  
904-513-4638  
bill@articsolar.com  
www.articsolar.com

## KEY INFORMATION & ANALYTICAL TOOLS



### Reliability, Cost and Environmental Impacts of Standby Generation Systems

Generac's website provides technical information related to emissions, reliability and costs of natural gas generators that was developed with UTD's support. For example, UTD researchers published a white paper that provided new data on the reliability of natural gas service and assisted in the development of a Total Cost of Ownership calculator that compares emissions and costs of natural gas vs. diesel-fueled standby generators.

Available on-line at <https://www.gti.energy/wp-content/uploads/2019/02/Assessment-of-Natural-Gas-Electric-Distribution-Service-Reliability-SummaryReport-Jul2018.pdf> and <https://www.generac.com/Industrial/all-about/natural-gas-fuel>

### Building America



Under five separate projects from 2011 to 2020, UTD has developed key information and tools to support the U.S. DOE's Building America research, development, and demonstration program, which helps accelerate use of best practices by residential builders, remodelers, installers, code officials, designers, raters, teachers, and others. Most recently a simplified combustion safety protocol was introduced.

Available on-line at <https://www.gti.energy/BuildingAmerica> and <https://bascc.pnnl.gov/library>



### Commercial Foodservice (CFS) Equipment Calculator

This website provides the restaurant industry and others with information and tools to determine the economic and environmental benefits of using new, more advanced and efficient CFS equipment. The website was developed with UTD support and has been showcased at several restaurant trade shows. Further enhancements are underway in 2020.


Available online at <http://cfscalculator.gastechology.org>. For more information, contact Frank Johnson; [fjohnson@gti.energy](mailto:fjohnson@gti.energy)



### Virtual Test Home

A Virtual Test Home (VTH) in a laboratory was expanded in 2020 with UTD's support. Leveraging the VTH, UTD has helped Navien and iFLOW demonstrate that an advanced forced-air condensing tankless water heater combi system can achieve 30-50% energy savings relative to best-in-class condensing furnaces and water heaters. The VTH is also developing data to help accelerate adoption of advanced gas technologies (such as GHPs, combis and modulating furnaces) in U.S. DOE's EnergyPlus™ and other energy software.

For more information, contact Tim Kingston; [tkingston@gti.energy](mailto:tkingston@gti.energy)




### CSA NGV2 CNG Vehicle Fuel Containers Standard Technical Committee Support

The sixth edition of CSA NGV2 issued in 2019 and contains updated information and requirements for the material, design, manufacture and testing of serially-produced, refillable Type NGV 2 containers intended only for the storage of CNG for vehicle operation. The 2019 revision includes localized fire tests and conformable storage topics. UTD supported participation to lead the Technical Task Force that created the Standard.

Available online at [www.csagroup.org](http://www.csagroup.org). For more information, contact Ted Barnes; [tbarnes@gti.energy](mailto:tbarnes@gti.energy)


## KEY INFORMATION & ANALYTICAL TOOLS (continued)



### CSA NGV4.3 NGV Storage and Delivery Standard Technical Committee Support

CSA NGV4.3 issued in 2018 and specifies the performance requirements for temperature compensation control used to prevent compressed natural gas (CNG) dispensing systems from exceeding a safe fill level of vehicle fuel storage container(s). It contains safety performance guidelines and field evaluation methods for existing dispensing systems. UTD supported participation to lead the Technical Task Force that created the Standard.

Available online at [www.csagroup.org](http://www.csagroup.org). For more information, contact Ted Barnes; [tbarnes@gti.energy](mailto:tbarnes@gti.energy)



### CSA NGV6.1 NGV Storage and Delivery Standard Technical Committee Support

CSA NGV6.1 was introduced in 2016 and defines the requirements for the balance of systems and equipment onboard a NGV, which is not otherwise defined by NGV1 for the receptacle or NGV2 for the storage containers. UTD supported GTI's participation on the Technical Committee.


Available online at [www.csagroup.org](http://www.csagroup.org). For more information, contact Ted Barnes; [tbarnes@gti.energy](mailto:tbarnes@gti.energy)



### CSA NGV5.1 and NGV5.2 Fueling Appliance Standard Technical Committees Support

CSA NGV5.1 was introduced in 2015 and updated in 2016, and provides mechanical, physical, and electrical requirements for residential fueling appliances (RFAs) that dispense natural gas for NGVs, including indoor and outdoor fueling appliances that connect to residential gas piping. A complimentary standard, NGV5.2 for vehicle fueling appliances (VFAs) in non-residential locations, has been developed and was published in late 2017. UTD supported participation on both of the Technical Committees.

Available online at [www.csagroup.org](http://www.csagroup.org). For more information, contact Ted Barnes; [tbarnes@gti.energy](mailto:tbarnes@gti.energy)



### Source Energy Technical Data

Researchers are providing unbiased technical data on the benefits of source energy in reducing energy consumption and carbon emissions in buildings and transportation. Source energy is now included in the International Green Construction Code (IgCC) for high-performance commercial buildings, and in various American Society of Heating, Refrigeration and Air-Conditioning Engineers (ASHRAE) standards (e.g., Standard 100 for existing buildings, Standard 105 method for comparing building energy performance, Standard 189 for high-efficiency green buildings, and Standard 214 for building energy performance rating).

For more information, contact Neil Leslie; [nleslie@gti.energy](mailto:nleslie@gti.energy)



### Source Energy and Emissions Analysis Tool

The Source Energy and Emissions Analysis Tool (SEEAT) calculates source energy and greenhouse-gas emissions related to point-of-use (site) energy consumption by fuel type for each energy-consuming device. The source-energy and carbon-emission calculation methodology used accounts for primary energy consumption and related emissions for the full fuel cycle for residential and commercial buildings, industrial applications, and light-duty vehicles. SEEAT data is also used in theEnergy Planning Analysis Tool (EPAT), a publicly available resource to help end users assess and minimize their total source energy use.

Available online at [www.cmictools.com](http://www.cmictools.com) and [www.epat.gastechology.org](http://www.epat.gastechology.org). For more information, contact Neil Leslie; [nleslie@gti.energy](mailto:nleslie@gti.energy)

## TECHNOLOGY ADVANCEMENTS



### Gas-fired Absorption Heat Pump Residential Water Heater

A field test of five prototype units of this efficient residential Gas-Fired Heat Pump Water Heater was successfully completed in Southern California during 2020, with support from CEC, UTD, SoCalGas and a prospective manufacturing partner. The unit has a projected Uniform Energy Factor (UEF) of 1.20-1.30 and ultra-low NO<sub>x</sub> emissions of ≤10 ng/J. A significantly larger and wider field test of prototype commercial production units is being formulated in 2020.

*Project Manager: Paul Glanville*



### Gas-fired Absorption Heat Pump for Space Heating or Commercial Water Heating

A field test of four prototype Gas Absorption Heat Pumps (GAHP) for space heating or water heating applications was successfully completed in WI and TN during 2019 with a prospective manufacturing partner and support from U.S. DOE, UTD and others. Results demonstrated an Annual Fuel Utilization Efficiency of 140% (45% gas savings), ultra-low NO<sub>x</sub> emissions of ≤14 ng/J, and continued operation under extreme cold weather conditions in WI during the Jan-Feb 2019 Polar Vortex. A larger field test of prototype units is underway in 2020.

*Project Manager: Paul Glanville*



### Ultra-Low NO<sub>x</sub> Burner

This innovative firetube boiler technology has more than two years of proven successful operation at a Mission Linen Supply facility in California. It improves efficiency and achieves NO<sub>x</sub> emissions below 9 vppm, while avoiding the significant efficiency, capital cost, and/or operating cost penalties if conventional Selective Catalytic Reduction or burner enhancements such as external Flue Gas Recirculation and/or High Excess Air firing were used. UTD's partner Power Flame Inc. is helping businesses in 2020 meet NO<sub>x</sub> emission regulations without sacrificing energy efficiency.

*Project Manager: David Cygan*



### Low NO<sub>x</sub> Ribbon Burner System

A new combustion system reduces NO<sub>x</sub> emissions by 50% in food processing, thermoforming, and other industrial applications and also saves energy. The system was evaluated in bench-scale, pilot scale, and full-scale production settings and has demonstrated transparent operation at an industrial bakery in California. In 2020, post-demo monitoring will continue at the bakery is along with commercialization activities with UTD's partner Flynn Burner Corp.

*Project Manager: Yaroslav Chudnovsky*



### FlexCHP High-Efficiency Ultra-Clean Power and Steam Package

This innovative CHP package allows flexible steam production while meeting stringent California emission levels without a SCR system and across the full range of firing rates — achieving NO<sub>x</sub> levels 50% below CARB limits. An installation in California operates with 84+% system efficiency and system emissions well below 9 ppm NO<sub>x</sub>. UTD has provided long-term support, including efforts to apply the technology for broader application sizes (e.g. to 400 kW / 400 BHP).

*Project Manager: David Cygan*



### Low NO<sub>x</sub> Advanced 3D-Printed Nozzle Burner

A novel design for next-generation retention nozzles leverages new additive manufacturing capabilities and equipment. In 2020, UTD is evaluating applications for boilers, water heating and air heating. Laboratory tests have demonstrated a robust, high-efficiency (3-6% increase), ultra-low emissions burner, with >10:1 turndown. It achieved 50%-75% reduction in NO<sub>x</sub> emissions compared to current burners, with the potential to reach <5 ppm NO<sub>x</sub>.

*Project Manager: Sandeep Alavandi*

## TECHNOLOGY ADVANCEMENTS (continued)



### Gas-Fired Warewasher

A new prototype gas-fired warewasher is being developed in conjunction with a leading OEM. The estimated annual savings for restaurant, cafeteria, and other commercial food service operators is \$1,100-\$9,000 per warewasher (depending on size and type) while also saving energy and chemicals, when compared to electrically-heated warewashers that operate at lower temperature and thus require one-time use and environmental impact of chemicals.

*Project Manager: Shawn Scott*



### Cost-Effective Small-Scale Compressor for Natural Gas Vehicles (NGVs)

A cost-effective small-scale compressor could significantly change the NGV fueling market. With UTD cost share and U.S. DOE funding, GTI and the University of Texas, Austin (using specialty materials from Argonne National Laboratory) developed a novel approach using a linear motor with only one moving piston and operated a prototype successfully in the lab. The technology is currently being scaled up to 50 SCFM capacity with UTD funding.

*Project Manager: Jason Stair*



### On-Demand Heat and Power System

This unique new technology has received a remarkable three rounds of funding from U.S. DOE ARPA-E, along with UTD and other co-funding support. This technology captures and stores renewable energy (or other resources, including waste heat), augments it with natural gas as needed, and delivers heat and power on-demand to commercial, industrial, and other users. In 2020, the technology is moving to a pilot field scale-up demonstration in California.

*Project Manager: David Cygan*



### CARB-Compliant Engine-Based Micro-CHP System

UTD researchers are collaborating with the CEC and SoCalGas to advance and commercialize the first-ever engine-based micro-CHP system that complies with California Air Resource Board requirements. A system offered by a major manufacturer in an influential market like California could spark the U.S. micro-CHP market.

*Project Manager: Tim Kingston*



### Energy Recovery Heat Exchanger

UTD researchers are collaborating with CEC to demonstrate in California an advanced recuperator to increase energy efficiency at an aluminum die casting operation. The objective is a decrease natural gas use by 20-40% per ton of melted aluminum (depending if scrap is preheated). The technology has been used in Europe but not yet in North America.

*Project Manager: David Rue*



### ENERGY STAR® Residential Gas Dryer

UTD worked with a major manufacturer to develop one of the first commercially-available gas-fired ENERGY STAR clothes dryers (included at [energystar.gov/products/appliances/clothes\\_dryers](http://energystar.gov/products/appliances/clothes_dryers)). UTD is currently investigating next-generation technologies and developing an early-stage prototype residential gas dryer to substantially further increase operating efficiency.

*Project Manager: Shawn Scott*




## TECHNOLOGY ADVANCEMENTS (continued)



### **iGEN Self-Powered Furnace**

The innovative new iGEN furnace generates its own electric power and contains an integrated battery, providing homeowners with continuous heating even during electricity outages. Initial units produce about 45 MBtu/hr and 1kW of power, with reported 95% heating system efficiency. UTD supported the technical refinement of this new product with laboratory testing, validation, and recommendations.

*Project Manager: Tim Kingston*



### **Ultra-High-Efficiency, Combination Heating/Cooling Vuilleumier Cycle Heat Pump**

Vuilleumier cycle-based heat pumps could provide a step-change efficiency improvement over vapor absorption- or compression-based cycles, achieving cooling COP > 1 and heating COP > 2. UTD is working with a leading developer to advance key system components using both computational and experimental analysis, to help achieve performance goals in alpha prototype testing funded by DOE, UTD and others. UTD is funding additional research in 2020.

*Project Manager: Alex Fridlyand*



### **Next Generation Liquid Desiccant-based, Heat-Driven HVAC System**

Liquid desiccant-based systems can efficiently remove moisture from air and reduce the amount of mechanical energy and water required by conventional HVAC technologies that de-humidify, condition, and re-humidify space air. In cooperation with NYSERDA and others, UTD is testing a novel new non-corrosive, non-toxic desiccant in a gas-driven system that offers a potential 30% increase in COP on a seasonal basis over conventional HVAC technologies.

*Project Manager: Doug Kosar*



### **Self-Powered Tankless Water Heater**

Tankless water heaters yield higher levels of efficiency than storage-type water heaters but require the added expense of an electrical connection and are susceptible to power outages unless a separate battery back-up system is installed. UTD researchers have assessed leading thermoelectric generator (TEG) technologies, and in 2020 are analyzing opportunities to economically integrate TEG and other technologies into a prototype water heater design.

*Project Manager: Aleks Kozlov*



### **Low NO<sub>x</sub>, High-Efficiency Burners for Commercial Food Service Equipment**

UTD is helping manufacturers respond to pending new regulations on NO<sub>x</sub> emissions of CFS equipment and simultaneously improve energy efficiency by developing and demonstrating prototype equipment that uses advanced burner concepts or components. Both novel new burner configurations as well as state-of-the-art burner technologies are being evaluated.

*Project Manager: Frank Johnson*



### **High-Efficiency Gas-Fired Rotary Heat Pump for Food Processing**

UTD is partnering with CEC, SoCalGas, and others to demonstrate an innovative high-efficiency, thermal-vacuum, gas-fired heat pump technology for food drying applications at a commercial food processing company. The new technology has the potential to be about twice as efficient as conventional processes. A prototype system at a field host site will generate performance data during 2020.

*Project Manager: Yaroslav Chudnovsky*

## TECHNOLOGY ADVANCEMENTS (continued)



### High Efficiency Commercial Clothes Dryer

An advanced natural-gas-fired commercial clothes dryer is being created and demonstrated at laboratory scale that has the potential to save at least 50% of the energy used in the commercial clothes drying sector. It is being developed in partnership with Oak Ridge National Laboratory and others, with financial support from U.S. DOE and UTD.

*Project Manager: Yaroslav Chudnovsky*



### Next Generation Infrared Burner

In partnership with a leading U.S.-based product manufacturer, UTD-funded researchers are testing a variety of unique metal foam materials in a laboratory to evaluate their potential performance as next-generation, high-efficiency, rapid-response, low-emission infrared burners that are directly fired with natural gas or renewable natural gas.

*Project Manager: Sandeep Alavandi*



### Residential Furnace Retrofit for High-Efficiency Heating and Humidification

Tests of a patented Transport Membrane Humidifier (TMH) technology in four homes in Minnesota demonstrated a 14% increase in furnace efficiency while providing humidification without water supply. Interested licensees should contact Rich Kooy at rich.kooy@utd-co.org.

*Project Manager: Dexin Wang*



### Advanced Combustion System for Next Generation mCHP

An advanced combustion system with thermochemical heat recovery has been created and demonstrated with UTD's support in a laboratory. Applying the system to a Stirling-based micro-CHP system can increase fuel-to-electric efficiency from 12-15% to 30%. Testing in 2019 demonstrated low NOx and CO emissions at  $\leq 9$  ppm (at 3% O<sub>2</sub>, dry).

*Project Managers: Aleks Kozlov*

## WORKING WITH PARTNERS TO CO-FUND UTD INITIATIVES

In 2019, each \$1.00 in new UTD funding was leveraged by \$4.82 of new direct funding from government and industry partners for related end-use R&D. GTI secured \$23.5 million from federal and state government partners and \$5.76 million in funding from manufacturing partners and other gas industry resources (outside of UTD). Manufacturing partners also provided significant, additional in-kind co-funding. Examples include:

- > U.S. Department of Energy (DOE) funding of \$7.6 million for five complementary programs aimed at advanced compressed natural gas and hydrogen fueling station and vehicle technology.
- > California Air Resources Board (CARB) funding of \$5.8 million for novel low-emission vehicle demonstrations.
- > U.S. DOE ARPA-E funding of \$1.5 million to further push forward a novel high-temperature heat recovery and storage technology that will increase solar thermal energy integration with supplementary gas.
- > South Coast Air Quality Management District (SCAQMD) funding of \$1.3 million for an innovative high-efficiency ultra-low NOx ribbon burner system for industrial applications.
- > U.S. DOE NETL funding of \$1.2 million to develop a unique high energy-conserving heat rejection technology.
- > California Energy Commission (CEC) funding of \$1 million for advanced high-efficiency through-the-wall furnaces.
- > More than \$5.4 million in other gas industry funding to advance a range of emerging high-efficiency technologies.